

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/072,666	02/08/2002		Gyanendra Kumar	13172.0015U1	3290
	7590	12/02/2004		EXAM	INER
	k ROSEI	NBERG, P.C.		CHUNDURU, SU	JRYAPRABHA
Suite 1200 The Candler	Building			ART UNIT	PAPER NUMBER
127 Peachtre	ee Street,	N.E.		1637	
Atlanta, GA	30303-	1811		DATE MAILED: 12/02/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.



	Application No.	Applicant(s)
	10/072,666	KUMAR ET AL.
Office Action Summary	Examiner	Art Unit
	Suryaprabha Chunduru	1637
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with	the correspondence address
A SHORTENED STATUTORY PERIOD FOR RITHE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, - If NO period for reply is specified above, the maximum statutory properties to reply within the set or extended period for reply will, by some and the properties of the search of the part of the search of the part of the search of the	ON. FR 1.136(a). In no event, however, may a rep. n. a reply within the statutory minimum of thirty (period will apply and will expire SIX (6) MONTP obstatute, cause the application to become ABAR	ly be timely filed 30) days will be considered timely. IS from the mailing date of this communication. NDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 3	17 August 2004.	
2a) This action is FINAL . 2b) ⊠	This action is non-final.	
3) Since this application is in condition for all closed in accordance with the practice und	,	·
Disposition of Claims		
4) ⊠ Claim(s) 1-138 is/are pending in the application 4a) Of the above claim(s) 137 and 138 is/as 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-136 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	re withdrawn from consideration	
Application Papers		
9) The specification is objected to by the Exar	miner.	
10) The drawing(s) filed on is/are: a)	accepted or b) ☐ objected to by	the Examiner.
Applicant may not request that any objection to	the drawing(s) be held in abeyance	e. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the co	•	
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for form a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	nents have been received. nents have been received in App priority documents have been re reau (PCT Rule 17.2(a)).	olication No eceived in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SE Paper No(s)/Mail Date	Paper No(s)/l 3/08) 5) Notice of Info	nmary (PTO-413) Mail Date rmal Patent Application (PTO-152)

Application/Control Number: 10/072,666 Page 2

Art Unit: 1637

DETAILED ACTION

1. Applicants' response to the office action and amendment filed on August 4, 2004 has been entered.

- 2. Claims 1-138 are pending Claims 137-138 are withdrawn.
- 3. This application is filed on February 8, 2002.

Response to Arguments

- 4. Applicant's response to the office action is fully considered and is found persuasive.
- 5. With regard to the rejection made in the previous office action under 35 USC 102(e),
 Applicants' arguments and amendment are fully considered and found persuasive in view of the
 arguments regarding the decoupling step, and new grounds of rejections.
- 6. With regard to the rejection made in the previous office action under 35 USC 103(a),
 Applicants' arguments and amendment are fully considered and found persuasive in view of the arguments regarding the decoupling step, and new grounds of rejections.
- 7. With regard to the rejection made in the previous office action under double patenting,
 Applicants' arguments and amendment are fully considered and found persuasive in view of the
 arguments regarding the decoupling step, and new grounds of rejections.

New Grounds of Rejections

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1637

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-136 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kingsmore et al. (USPN. 6,531,283) and in view of Lizardi et al. (USPN.5,854,033).

With reference to the instant claims 1, 30, 43-49, 107, 124-126, 133-136, Kingsmore et al. teach a method for detecting one or more analytes comprising (a) bringing into contact one or more analyte samples and one or more reporter binding molecules (reporter primers), wherein each reporter binding molecule comprises a specific binding molecule and an amplification target circle, wherein each specific binding molecule interacts with an analyte directly or indirectly, incubating the analyte samples and the reporter binding molecules under conditions that promote interaction of the specific binding molecules and analytes (see column 41, lines 33-55); (c) bringing into contact the amplification target circles and one or more rolling circle replication primer(s), wherein the amplification target circles each comprise a single-stranded, circular DNA molecule comprising a primer complement portion, wherein the primer complement portion is complementary to at least one of the rolling circle primers and incubating the rolling circle replication primers and amplification target circles and the rolling circle primers and

Art Unit: 1637

amplification target circles under conditions that promote replication of the amplification target circles wherein replication of the amplification target circles results in the formation of presence of the corresponding analytes (see column 42, lines 32-39).

With reference to the instant claims 12-22, Kingsmore et al. teach that the method comprises circle linkers (capture docks), wherein circle linker comprises cleavable bond which could be a disulfide bond, hetero bifunctional succinimide bond (sulfo-GMBS) maleimide bond, dihydroxy bond or amino linking group (reactive group) which can be cleavable by treatment with a reducing agent (see column 14, lines 25-67, column 15, lines 1-4, column 30, lines 4-10).

With reference to the instant claims 23-29, Kingsmore et al. also teach that the method comprises (i) plurality of reporter binding molecules are brought into contact with the one or more analyte samples (see column 42, lines 40-42); (ii) plurality of analyte samples are brought into contact with the one or more reporter binding molecules (see column 42, lines 43-45); (iii) at least one of the analyte samples comprise a protein or peptide, a lipid, glycolipid or proteoglycan (see column 42, lines 46-49); (iv) at least one of the analytes is from a human source and a non-human source (see column 42, lines 50-53); and none of the analytes are nucleic acids (see column 42, lines 54-55);

With reference to the instant claims 31-32, 35, Kingsmore et al. teach that the method comprises capture agent(s) and analyte(s) associated with a solid support and the solid support comprises different reaction chambers or predefined regions (see column 42, lines 61-67); the said solid support comprises acrylamide, agarose, cellulose, nitrocellulose, glass, polystyrene or polyamino acids (see column 43, lines 29-37);

Art Unit: 1637

With reference to the instant claims 36-42, Kingsmore et al. also disclose that the method comprises (i) bringing into contact at least one of the analyte samples with at least one accessory molecule affecting interaction of at least one of the analytes and at least one of the capture agents simultaneously with or following step (a) (see column 43, lines 39-48); (ii) at least one analyte and accessory molecule are associated with the solid support simultaneously with or following step(a) (see column 43, lines 49-55); (iii) the accessory molecule is a protein kinase, a protein phosphatase, an enzyme or a compound (see column 43, lines 56-58); (iv) interaction of accessory molecule of interest, with one or more analytes are test molecules of interest are detected (see column 43, lines 59-65);

With reference to the instant claims 43-75, Kingsmore et al. also teach that the method comprises (i) one or more first analyte samples and one or more second analyte samples, one or more first reporter binding molecules, one or more second reporter molecules, wherein each different reporter binding molecule is different and each different rolling circle primer primes replication of a different amplification target circle and produces a different tandem sequence DNA (see column 44, lines 9-43); (ii) the tandem sequence DNA corresponding to one of the analyte samples produced in association with an analyte capture agent is in the same location on the solid support as tandem sequence DNA corresponding to the same analyte and produced in association with the matching second analyte capture agent, wherein presence or absence of the same analyte in different analyte samples is indicated by the presence or absence of corresponding tandem sequence DNA (see column 44, lines 53-67, column 45, lines 1-5); (iii) at least one analyte and accessory molecule are associated with the solid support simultaneously with or following step(a) (see column 45, lines 6-55); (iii) the accessory molecule is a protein

Art Unit: 1637

kinase, a protein phosphatase, an enzyme or a compound (see column 45, lines 36-38); (iv) the accessory molecule is an analog and facilitates interaction of at least one of the analyte capture agents (see column 45, lines 27-35); accessory molecule is at least 20%, 50%, 80%, 90% pure and is associated with solid support (see column 45, lines 39-47);

With reference to the instant claims 76-83, Kingsmore et al. teach that the method comprises modified form of analyte wherein at least one or more analyte capture agents interacts directly or indirectly with the modified analyte, wherein the modification is post-translational modification, that is phosphorylation or glycosylation (see column 45, lines 55-65); detection of tandem sequence DNA is accompanied by mixing a set of detection probes under conditions to promote hybridization, wherein plurality of different tandem sequence DNAs are detected separately or simultaneously via multiplex detection (see column 45, lines 66-67, column 46, lines 1-7); detection probes are labeled using combinatorial multicolor coding (see column 46, lines 8-9); the method further comprises brining into contact a secondary DNA strand displacement primer and the tandem sequence DNA, and incubating under conditions that promote (i) hybridization between the tandem sequence DNA and the secondary DNA strand displacement primer, (ii) replication of the tandem sequence DNA (see column 46, lines 10-19);

With reference to the instant claims 85-106, 128-132, Kingsmore et al. teach that the method comprises detection labels as fluorescent moieties including fluorescent quenchers, which are incorporated into nucleic acids during amplification (see column 15, lines 55-67, column 16, lines 1-18).

With reference to the instant claims 108-112, Kingsmore et al. further teach that the method comprises (i) treating one or more analyte samples so that one or more samples modified

Art Unit: 1637

(see column 26, lines 15-48); bringing into contact one or more analytes and one or more arrays wherein each array comprises a set of analyte capture agents, a set of accessory molecules, each interacting directly or indirectly with an analyte, contacting one or more reporter binding molecules under conditions promoting interaction of the specific binding molecules analytes, analyte capture agents and accessory molecules, replicating with rolling circle replication primers to form tandem sequence DNA (see column 26, lines 50-67, column 27, lines 1-23); (ii) comprises solid support wherein components are immobilized to the solid support at a density exceeding 400 different components per cubic centimeter (see column 21, lines 8-19);

With reference to the instant claims 113-123, Kingsmore et al. also teach that the method comprises (i) analyte capture agents as peptides (see column 13, lines 59-66) immobilized on a solid support comprising 20% to 99% pure capture agents (see column 15, lines 5-20); (ii) comprises peptide, antibodies (antibodies are made up of short peptides) which comprise amino acids of about 20 amino acids (see column 13, lines 59-67, column 14, lines 1-11). Thus the disclosure of Kingsmore et al. meets the limitations in the instant claims.

However, Kingsmore et al. did not teach decoupling target circles from the reporter binding molecules, non-covalent interaction (base-pairing) of circle probe with reporter binding molecules and capture probe comprising oligonucleotide.

Lizardi et al. teach a rolling circle replication method using reporter systems wherein Lizardi et al. teach that the method comprises decoupling of amplification target circle from the reporter binding molecule (open circle probe) and the decoupling is facilitated by disrupting the base-pairing by exonuclease digestion (see col. 34, line 57-67, col. 35, line 1-16, col. 24, line 41-67, col. 26, line 32-35) or by heat denaturation (rising the temperature to disrupt base-pairing)

Art Unit: 1637

(see col.29, line 12-22). Lizardi et al. also teach that the method comprises detector probes (oligonucleotides) having a free 5' end or a free 3'-end and a label (reporter) coupled to the probes bounded either covalently or non-covalently to the component (see column 19, lines 32-41). Lizardi et al. also teach incorporation of peptide molecules into the probes with varying mass labels (see column 34, lines 21-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the method of detecting one or more analytes as taught by Kingsmore et al. with a step of decoupling amplification target circle from reporter binding molecules method as taught by Lizardi et al, to develop a sensitive method for the detection of analyte(s) because Lizardi et al. taught the use decoupling of amplification target circle from the reporter binding molecule increases efficiency of secondary strand displacement, removes unligated probes, eliminates need for capture probes or washing steps (see col. 26, line 32-35, col. 35, line 8-16). An ordinary practitioner would have been motivated to combine the method of detecting one or more analytes as taught by Kingsmore et al. with the inclusion of the decoupling step as taught by Lizardi et al. in order to achieve the expected advantage of a developing a sensitive method for detecting analyte(s) because inclusion of such limitations would enhance the sensitivity of the detection method by reducing the background signal.

Double Patenting

9. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

Art Unit: 1637

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 12-113, 118-136 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-72 of U.S. Patent No. 6, 531, 283 in view of Lizardi et al. (USPN. 5,854,033).

The claims in the patent ('283') disclose and encompasses the instant method wherein the method in the patent comprises (a) bringing into contact one or more analyte samples and one or more reporter binding molecules (reporter primers), wherein each reporter binding molecule comprises a specific binding molecule and an amplification target circle, wherein each specific binding molecule interacts with an analyte directly or indirectly, incubating the analyte samples and the reporter binding molecules under conditions that promote interaction of the specific binding molecules and analytes (see column 41, lines 33-55); (c) bringing into contact the amplification target circles and one or more rolling circle replication primer(s), wherein the amplification target circles each comprise a single-stranded, circular DNA molecule comprising a primer complement portion, wherein the primer complement portion is complementary to at least one of the rolling circle primers and incubating the rolling circle replication primers (see column 41, lines 56-67); (d) incubating the rolling circle primers and amplification target circles under conditions that promote replication of the amplification target circles wherein replication of the amplification target circles results in the formation of presence of the corresponding analytes

Art Unit: 1637

(see column 42, lines 32-39). However the method in the patent ('283) did not specifically disclose a decoupling step to dissociate amplification target circle form reporter binding molecule.

Lizardi et al. teach a rolling circle replication method using reporter systems wherein

Lizardi et al. teach that the method comprises decoupling of amplification target circle from the
reporter binding molecule (open circle probe) and the decoupling is facilitated by disrupting the
base-pairing by exonuclease digestion (see col. 34, line 57-67, col. 35, line 1-16, col. 24, line 4167, col. 26, line 32-35) or by heat denaturation (rising the temperature to disrupt base-pairing)
(see col.29, line 12-22). Lizardi et al. also teach that the method comprises detector probes
(oligonucleotides) having a free 5' end or a free 3'-end and a label (reporter) coupled to the
probes bounded either covalently or non-covalently to the component (see column 19, lines 3241). Lizardi et al. also teach incorporation of peptide molecules into the probes with varying
mass labels (see column 34, lines 21-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the method of detecting one or more analytes as taught by the patent ('283) with a step of decoupling amplification target circle from reporter binding molecules method as taught by Lizardi et al, to develop a sensitive method for the detection of analyte(s) because Lizardi et al. taught the use decoupling of amplification target circle from the reporter binding molecule increases efficiency of secondary strand displacement, removes unligated probes, eliminates need for capture probes or washing steps (see col. 26, line 32-35, col. 35, line 8-16). An ordinary practitioner would have been motivated to combine the method of detecting one or more analytes as taught by patent ('283) with the inclusion of the decoupling

Art Unit: 1637

step as taught by Lizardi et al. in order to achieve the expected advantage of a developing a sensitive method for detecting analyte(s) because inclusion of such limitations would enhance the sensitivity of the detection method by reducing the background signal.

Therefore the instant claims are rejected under obviousness-type of double patenting.

Conclusion

No claims are allowable.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suryaprabha Chunduru whose telephone number is 571-272-0783. The examiner can normally be reached on 8.30A.M. - 4.30P.M, Mon - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on 571-272-0782. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306 for regular communications and - for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0196.

Suryaprabha Chunduru November 26, 2004

KENNETH R. HORLICK, PH.D
PRIMARY EXAMINER

11/29/09

MAY 1 9 2003

ATTORN OCKET NO. 13172.0015U1
APPLICATION NO. 10/072,666
SHEET 1 OF 1

	TO-	1449						lete if Kno			
U.S. DEPARTMENT OF COMMERCE					Application Number 10/072,666						
PATENT AND TRADEMARK OFFICE						uary 8, 2	ary 8, 2002				
						First Named Inventor Gyanendra Ku		(un	nar		
LIST OF INFORMATION CITED BY APPLICANT (Use as many sheets as necessary)				Group Art Unit		1623	1623				
(coo as man) shows as mosses.//					Examiner Name Unassigned						
			ŧ	I.S. P	TENT I	ocu	MENTS				
Examine	r's	Cite	Document No.	60.0	ate		Name	Class	Subclas	4	Popularian
Initials	- }	No.									appl prints
200	\neg	C1	6,323,009 B1	11/27	7/01	Lask	en et al.			4.	
	\neg	C2	6,291,187 B1	09/18	3/01		smore et al.			~~	2
	\neg	C3	6,277,607	08/21			i et al.		ECH.	_	20
		C4	6,221,603 B1	04/24	1/01	Maht			1017 6	M	
		C5	6,117,635	09/12			renko et al.				SH 1RA
		C6	6,096,880	08/0		Kool				_	ER 1600
		C7	5,942,391	08/24			g et al.		ļ	_	
		C8	5,876,924	03/02			g et al.		ļ	_	·
1		C9	5,866,336	02/02			renko et al.				
			FOF	REIGN	PATEN	T DO	CUMENTS				
Examine Initials	r's	Cite No.	Foreign Patent Docu Country Code-Number-Kind	ment d Code	Dat	е	Nan	18			nslation Yes/No
CR C10		C10	EP 0 745 690 A 12		12/04/9	6 EPO					
4		C11	WO 00/71562 A		11/30/0	00	PCT				
		C12	WO 99/31276		06/24/9	9	PCT				
T	,	C13	WO 97/19193		05/29/9	97	PCT		i_		
	•						IMENTS				
Examine	ar's ∣	Cite	Non-Patent	Citation	19 (include A	dhor, Tille	, Publisher, Relevant Page	s, Date and I	Place of Publi	catio	n)
Initials		No.						. D. III.	- CiI- [5	liestion
Co.		C14	Baner et al. Signa Nucleic Acids Re	al Ami	DIITICATION	1 OT Pa	aciock Probes by	rou Ge	1 26(22)·	507	73.5078
Sac	2				n, Oxiori	y Univ	ersity Fress, Sur	iey, GD	20(22).	JU	3-3070
	- 5			2357							
-+		045	(1998), XP00211	no Cir	olo Amo	Micatio	on: A New Appro	ach to	ncrease	S	ensitivity
$\overline{}$	1	C15	Gusev et al. Rolli	ina Cir	cle Amp	Ifiicatio	on: A New Appro	ean lou	Increase	Se Se	ensitivity
1		C15	Gusev et al. Rolli for Immunohisto	ing Cir chemis	itry and	Ifiication	on: A New Appro Cytometry Americ	each to l	Increase mal of P	Se Se Path	ensitivity hology
			Gusev et al. Rolli for Immunohisto 159(1): 63-69 (Ju	ing Cir chemis	itry and (Flow C	Cytometry Americ	can Jou	mal of F	Path	nology
		C15	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle An	ing Circhemisuly 200 ation Continued to the continued to	itry and ()1) Detection Ition <i>Nat</i>	Flow Control	Cytometry Americ Single-Molecule enetics 19:225-2	Can Jou Countin 32 (199	mal of F g Using 8)	lsc	othermal
		C16	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle An Mullenix et al. All	ing Cir chemis uly 200 ation C nplifica	itry and l 11) Detection Ition Nat -specific	Flow Control and State Green G	Cytometry Americ Single-Molecule enetics 19:225-2 etection on Micr	Countin 32 (199 oarrays	mal of F g Using 8) Using F	Isc	thermal
			Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle An Mullenix et al. All	ing Cir chemis uly 200 ation C nplifica	itry and l 11) Detection Ition Nat -specific	Flow Control and State Green G	Cytometry Americ Single-Molecule enetics 19:225-2 etection on Micr	Countin 32 (199 oarrays	mal of F g Using 8) Using F	Isc	thermal
		C16	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle An Mullenix et al. All Circle Amplificati	ing Cir chemis uly 200 ation E pplification: Co on: Co	itry and ()1) Detection ition Nat -specific orrelation	Flow Con and Source Go Ure Go UgE Do With i	Cytometry Americ Single-Molecule enetics 19:225-2 etection on Micr	Countin 32 (199 oarrays	mal of F g Using 8) Using F	Isc	thermal
		C16	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle An Mullenix et al. All Circle Amplificati Chemistry 47(10	ing Circhemisuly 200 ation Enplification: Co lergen- on: Co):1926	atry and (1) Detection Nation	Flow Con and Sure Go IgE Do with it	Single-Molecule enetics 19:225-2 etection on Micr in Vitro Assays for ag Universal Ene	Countin 32 (199 oarrays or Serur	mal of F g Using 8) Using F n IGE C	Isc Rolli Blini	nology othermal ing ical
		C16	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal	ing Circhemischemi	atry and (1) Detection Nat- specific orrelation -1929 (2) splification ochemis	Flow Con and Sure General IgE Don with it 2001) on Usire stry and the control of	Single-Molecule enetics 19:225-2 etection on Micrin Vitro Assays for Universal Ened Cytochemistry	Countin 32 (199 oarrays or Serur ergy Tra , Histoci	mal of F g Using 8) Using F n IGE C	Isc Rolli Blini	nology othermal ing ical
		C16	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal New York, New	ing Circhemis uly 200 ation Enplification: Co on: Co on: 1926 itu Am of Hist	atry and bill) Detection Nation Natio	Flow Con and Sure Go IgE Do with it (001) In Using	Single-Molecule enetics 19:225-2 etection on Micro Vitro Assays for Universal Ened Cytochemistry 1999), XP00800	Countin 32 (199 oarrays or Serur ergy Trai , Histoci 2684	mal of F g Using 8) Using F n IGE C nsfer-La hemical	Isc Rolli Blini Bel So	othermal ing ical led ciety,
		C16	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Muta Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal New York, New Schweitzer et al.	ing Circhemisury 200 ation Enplification: Co 0:1926 itu Amoof Hist York 4	etry and billion Nation	Flow Con and Sture Go IgE Down with it (001) In Using (-279 (rotein	Single-Molecule enetics 19:225-2 etection on Micro Vitro Assays for Universal Ened Cytochemistry 1999), XP00800 Profiling on Micro	Countin 32 (199 oarrays or Serur ergy Tra- r, Histoci 2684 oarrays	mal of F g Using 8) Using F n IGE C nsfer-La hemical	Isc Rolli Blini Bel So	othermal ing ical led ciety,
		C16 C17 C18	Gusev et al. Rollifor Immunohistor 159(1): 63-69 (Julian Lizardi et al. Muta Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10) Nuovo et al. In S Primers Journal New York, New Schweitzer et al. Amplification Nai	ing Circhemis uly 200 ation Enplifica lergen on: Co):1926 itu Am of Hist York 4 Multipture Bi	etry and billion Nation	Flow Con and Sure Ge IgE Do with it 2001) on Using try and 279 (rotein logy 2	Single-Molecule enetics 19:225-2 etection on Micron Vitro Assays for Universal Ened Cytochemistry 1999), XP00800 Profiling on Micro 0:359-365 (2002	Counting 32 (199 oarrays or Serur Fragy Trans, Histoca 2684 oarrays	g Using 8) Using F n IGE Consfer-La	Isc Rollini So ng-	othermal ing ical led ciety,
		C16 C17 C18	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal New York, New Schweitzer et al. Amplification Na	ing Circhemischemischemischen Engen- on: Co): 1926 itu Am of Hist York 4 Multipture Bi	etry and lottle	Flow Con and Sure Ge IgE Do with it 2001) on Using try and 279 (rotein logy 2 with a swith a s	Single-Molecule enetics 19:225-2 etection on Micro Vitro Assays for Universal Ened Cytochemistry 1999), XP00800 Profiling on Micro Rolling Circle D	Countin 32 (199 oarrays or Serur argy Trai , Histoci 2684 oarrays	g Using 8) Using Fm IGE Consfer-Lahemical by Rolli	Isc Rollini So Ing-	ing ical led iciety, -Circle
		C16 C17 C18	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal New York, New Schweitzer et al. Amplification Na Schweitzer et al. Versatile Platforr	ing Circhemischemischemischen Engen- on: Co): 1926 itu Am of Hist York 4 Multipture Bi	etry and lottle	Flow Con and Sure Ge IgE Do with it 2001) on Using try and 279 (rotein logy 2 with a swith a s	Single-Molecule enetics 19:225-2 etection on Micro Vitro Assays for Universal Ened Cytochemistry 1999), XP00800 Profiling on Micro Rolling Circle D	Countin 32 (199 oarrays or Serur argy Trai , Histoci 2684 oarrays	g Using 8) Using Fm IGE Consfer-Lahemical by Rolli	Isc Rollini So Ing-	ing ical led iciety, -Circle
		C16 C17 C18	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut Rolling-Circle An Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal New York, New Schweitzer et al. Amplification Na Schweitzer et al. Versatile Platfor 10,119 (2000)	ing Circhemischemischemischen Engen- on: Co): 1926 itu Am of Hist York 4 Multipture Bi	etry and bits and bit	Flow Con and Sure Ge IgE Don with it 19001) Flow of the Control of	Single-Molecule enetics 19:225-2 etection on Micron Vitro Assays for Universal Ened Cytochemistry 1999), XP00800 Profiling on Micro Ci359-365 (2002 Rolling Circle Dentigen, Detection	Countin 32 (199 oarrays or Serur argy Trai , Histoci 2684 oarrays	g Using 8) Using Fm IGE Consfer-Lahemical by Rolli	Isc Rollini So Ing-	ing ical led iciety, -Circle
Examin	ner S	C16 C17 C18 C19 C20 Signatu	Gusev et al. Rolli for Immunohistor 159(1): 63-69 (Ju Lizardi et al. Mut: Rolling-Circle Am Mullenix et al. All Circle Amplificati Chemistry 47(10 Nuovo et al. In S Primers Journal New York, New Schweitzer et al. Amplification Nai Schweitzer et al. Versatile Platfort 10119 (2000)	ing Circhemistry 200 ation Enplification Con: Con: Con: 1926 itu Amoof Hist York 4 Multipture Bi	etry and (1) Detection Nat -specific orrelation -1929 (2) splification ochemis 3(3):273 slexed Protechno inoassay	Flow Con and Sure Ge IgE Don with it 2001) in with it 2001) in with it 2001) in with it 2001 on the Ige Ige Ige Ige Ige Ige Ige Ige Ige Ig	Single-Molecule enetics 19:225-2 etection on Micron Vitro Assays for Universal Ened Cytochemistry 1999), XP00800 Profiling on Micro 0:359-365 (2002 Rolling Circle Duntigen Detection Considered:	Counting 32 (199 coarrays or Serur (199 Train, Histocal (1984 coarrays (1))	mal of F g Using 8) Using F m IGE C nsfer-La hemical by Rolli colification 97(18):	Rollini Soing- n:	ing ical led ciety, -Circle

11/29/01

Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if

Chindury

not in conformance and not considered. Include copy of this form with next communication to applicant.

<u> Washla</u>

EDUS 8 1 HUL Forg PTO-1449 Complete if Known **Application Number** 10/072,666 US DEPARTMENT OF COMMERCE February 8, 2002 Filing Date First Named Inventor Gyanendra Kumar LIST OF INFORMATION CITED BY APPLICANT 1637 **Group Art Unit** (Use as many sheets as necessary) **Examiner Name** Suryaprabha Chunduru U.S. PATENT DOCUMENTS Filing Date Cite Document No. Date Name Class Subclass Examiner's Initials No. 03/07/00 Himmler et al. D1 6,033,881 6,255,082 B1 07/03/01 Lizardi et al. D2 86 TECH CENTER 1600/2900 FOREIGN PATENT DOCUMENTS Translation Examiner's Foreign Patent Document Name Yes/No Country Code-Number-Kind Code Initials NON-PATENT DOCUMENTS Non-Patent Citations (include Author, Title, Publisher, Relevant Pages, Date and Place of Publication) Examiner's Cite Initials No. Tyagia et al. Molecular Beacons: Probes that Fluoresce upon Hybridization, Nature D3 SIL Biotechnology, 14:303-308 (March 1996), XP000196024

174126_3.DOC

Examiner Signature:

OCT 1'5 2004 - D

ATTORNEY DOCKET NO. 13172.0015U1 APPLICATION NO. 10/072,666 SHEET 1 OF 1

Food PTO-1449				Complete if Known				
O.S. DEPARTMENT OF COMMERCE				Application Number 10/072,666				
		ADEMARK OFFICE		Filing Date	February 8, 2002		02	
				First Named Inventor	or Gyanendra Kumar		nar	
LIST OF		RMATION CITED BY AI is many sheets as necessary		Group Art Unit	1637	1637		
ł	(USE a	s many sneets as necessary,	,	Examiner Name	Surv	hunduru		
<u> </u>			S DATENT D	OCUMENTS	1		year his a year	
Examiner's	Cite	Document No.	Date	Name	Class	Subclass	Filing Date	
Initials	No.						(if appropriate	
8pc	E1	5,648,245	07/15/97	Fire et al.				
885	E2	6,203,984	03/20/01	HU et al.		ļ		
	E3	5,876,924	03/02/99	Zhang et al.				
ļ	ļ							
	 							
	 							
	 							
	1							
	<u> </u>				-			
C. 4. 1200 1 100 1	2 4 4	the state of the s			10.	THE CONTRACTOR IN		
	7	シル: 多ッ学、 AFORE			33.531.4	VARIATION OF THE PARTY OF THE P		
Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date	Name			Translation Yes/No	
Examiner's	Cite	Foreign Patent Document	Date				Translation	
Examiner's	Cite	Foreign Patent Document	Date				Translation	
Examiner's	Cite	Foreign Patent Document	Date				Translation	
Examiner's	Cite	Foreign Patent Document	Date				Translation	
Examiner's	Cite	Foreign Patent Document	Date				Translation	
Examiner's	Cite	Foreign Patent Document	Date			A STATE OF THE STA	Translation	
Examiner's	Cite	Foreign Patent Document	Date			(Address of the Control of the Contr	Translation	
Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date	Name			Translation Yes/No	
Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date Date	Name			Translation Yes/No	
Examiner's Initials Examiner's	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date Date	Name			Translation Yes/No	
Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	Name	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi	Date N-PATENT D itations (Include Auto	OCUMENTS	ate and Pla	ce of Publication)	Translation Yes/No	
Examiner's Initials Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi 22(20):45039-4043	Date N.PATENTID Litations (Include Auti	OCUMENTS Publisher, Relevant Pages, D	ate and Pla	ce of Publication) Acids Res	Translation Yes/No	
Examiner's Initials Examiner's Initials Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi 22(20):45039-4043	Date Date N.P.ATENTID Citations (Include Auti	OCUMENTS Properties of the Publisher, Relevant Pages, Deversal base analogue" I	Nucleic	ce of Publication) Acids Res	Translation Yes/No	
Examiner's Initials Examiner's Initials Examiner's Initials Examiner's Initials	Cite No. Cite No. E4 Signatur R: Initial	Foreign Patent Document Country Code-Number-Kind Code Non-Patent C Loakes et al. "5-Nitroi 22(20):45039-4043	Date Date Displace Automatical Control of the Con	OCUMENTS Publisher, Relevant Pages, D	Nucleic	ce of Publication) Acids Res	Translation Yes/No	

Applicant(s)/Patent Under Application/Control No. Reexamination 10/072,666 KUMAR ET AL. **Notice of References Cited** Art Unit Examiner Page 1 of 1 Suryaprabha Chunduru 1637 **U.S. PATENT DOCUMENTS** Document Number Date Classification Name Country Code-Number-Kind Code MM-YYYY 435/6 US-6,531,283 03-2003 Kingsmore et al. Α 435/91.2 В US-5,854,033 12-1998 Lizardi, Paul M. US-С US-D Ε US-F US-US-G US-Н 1 US-US-J US-Κ L US-US-М FOREIGN PATENT DOCUMENTS Document Number Date Classification Name Country Country Code-Number-Kind Code MM-YYYY 0 Р Q R s Т **NON-PATENT DOCUMENTS** Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages) U W

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Х

P.O. BOX 1450 ALEXANDRIA, VA 22313-1450 IF UNDELIVERABLE RETURN IN TEN DAYS

OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER

RECEIVED

TECH CENTER 1600/2900

NEED-127

13033067 1703 14 12/07/04 RETURN TO SENDER

DIRACTAI

MANUAL MANUED FROM ZIP CODE 2